



Product Service


CERTIFICATE

No. Z2 13 02 83334 006

Holder of Certificate: **Ningbo Ulica Solar Science & Technology Co., Ltd**

ShanShan Technology Industry Area,
Yinxian Road,
Gulin Town
315177 Ningbo
PEOPLE'S REPUBLIC OF CHINA

Certification Mark:



Product: **Crystalline Silicon Terrestrial Photovoltaic (PV) Modules Mono-Crystalline Silicon Photovoltaic Module**

The product was tested on a voluntary basis and complies with the essential requirements. The certification mark shown above can be affixed on the product. It is not permitted to alter the certification mark in any way. In addition the certification holder must not transfer the certificate to third parties. See also notes overleaf.

Test report no.: 7040612128503-00

Date, 2013-02-20 (Jianhui Wang)

Page 1 of 2





CERTIFICATE

No. Z2 13 02 83334 006

Model(s):

UL-250M-72, UL-255M-72, UL-260M-72, UL-265M-72,
 UL-270M-72, UL-275M-72, UL-280M-72, UL-285M-72,
 UL-290M-72, UL-295M-72, UL-300M-72, UL-305M-72,
 UL-310M-72, UL-315M-72, UL-320M-72, UL-325M-72,
 UL-210M-60, UL-215M-60, UL-220M-60, UL-225M-60,
 UL-230M-60, UL-235M-60, UL-240M-60, UL-245M-60,
 UL-250M-60, UL-255M-60, UL-260M-60, UL-265M-60,
 UL-270M-60, UL-190M-54, UL-195M-54, UL-200M-54,
 UL-205M-54, UL-210M-54, UL-215M-54, UL-220M-54,
 UL-225M-54, UL-230M-54, UL-235M-54, UL-240M-54,
 UL-170M-48, UL-175M-48, UL-180M-48, UL-185M-48,
 UL-190M-48, UL-195M-48, UL-200M-48, UL-205M-48,
 UL-210M-48, UL-215M-48.

Parameters:

Rated Output Power at STC: 250 W, 255 W, 260 W, 265 W,
 270 W, 275 W, 280 W, 285 W,
 290 W, 295 W, 300 W, 305 W,
 310 W, 315 W, 320 W, 325 W,
 210 W, 215 W, 220 W, 225 W,
 230 W, 235 W, 240 W, 245 W,
 250 W, 255 W, 260 W, 265 W,
 270 W, 190 W, 195 W, 200 W,
 205 W, 210 W, 215 W, 220 W,
 225 W, 230 W, 235 W, 240 W,
 170 W, 175 W, 180 W, 185 W,
 190 W, 195 W, 200 W, 205 W,
 210 W, 215 W.

Construction: Framed, with Junction box,
 Cable and Connectors.

Test Laboratory: Yangzhou Opto-Electrical
 Products Testing Institute
 No. 10 West Kaifa Road, Yangzhou,
 225009 Jiangsu, P. R. China

Application Class: Class A
 Maximum System Voltage: 1000 V DC
 Fire Safety Class: Class C
 (configuration reference in CDF)

Tested according to:

IEC 61215:2005
 IEC 61730-1:2004
 IEC 61730-2:2004
 PPP 58042A:2012

Production Facility(ies):

83334